




**Model: KOT-0170U-CA4P
(PN: KOT-170P-010)**

**17" LCD Open Frame PCAP Touch Monitor
(The Narrow Edge Type)**



Product Feature


- ◆ Narrow edge flat display Touch Solutions.
- ◆ Long lasting product cycle-enclosure controlled by KeeTouch specifications.
- ◆ Future generation panels phased-in without external changes.
- ◆ USB touch interface port.
- ◆ High quality panel with high brightness, high contrast ratio and broad viewing angle.
- ◆ VGA 、 DVI input video format.
- ◆ Multiple mounting options including VESA mount, horizontal bracket-mount, vertical bracket mount.
- ◆ Worldwide agency approvals.

Specification

Model No.	KOT-0170U-CA4P	
Series	OT, Narrow Edge	
Display Type	5:4 Ratio 17" Active Matrix TFT-LCD, LED Backlight	
Display Active Area	337.92(mm)×270.336(mm)	
Monitor Dimensions	Width: 378.9mm Height: 313.3mm Depth: 47.3mm	
Suggested Resolution	1280×1024 @ 60Hz	
Support Colors	16.7M	
Brightness(Typ.)	Pure LCD Panel (Brightness from 300~1000cd/m ² can be customized)	250cd/m ²
	With Projected Capacitive Touchscreen	212cd/m ²
Response Time(Typ.)	5ms	
Viewing Angle (Typ.at CR>10)	Horizontal(Left/Right)	85°/85°
	Vertical(Up/Down)	80°/80°
Contrast Ratio(Typ.)	1000:1	
Video Input	VGA, DVI	
Frequency(H/V)	37.8~68.4KHz / 50~76Hz	
Power Supply	Type: External Brick Input (Line) Voltage: 100-240 VAC, 50-60 Hz	
Environment	Operating Temp.	0~50°C
	Storage Temp.	-20~60°C
	Operating RH	20%~80%
	Storage RH	10%~90%
MTBF	30,000 Hours	
Back Light Life(Typ.)	30,000 Hours	
Weight(N.W/G.W)	4.1kg(1pcs) / 9.85kg (2pcs in One Package)(Approx.)	
Package Dimensions	466*185*403mm (2pcs in One Package)	
Power Consumption	12.3w/1w(Stand by)	
Mount Interface	1)VESA 75mm and 100mm 2)Mount Bracket, Horizontal or Vertical	
OSD Control	Buttons	AUTO,+,POWER,-,MENU
	Function	Brightness, Contrast Ratio, Auto-adjust, Phase, Clock, H/V Location, Languages, Function, Reset
Touch Screen Type	17"Projected Capacitive 4.3mm Touchscreen (10 Points Touch for Win7)	
Touch System Interface	USB	
Touch Response Time	≦ 10ms	
Agency Approval	CCC, ETL, FCC, CE, CB, RoHS	
Regular Warranty	1 Year	

NOTE: The display SPEC. will change follow the relevant LCD panel brand and model

Mechanical Dimensions



Revision History

Revision	Date	Description
1.0	2016/10/08	Initial Release