Model: KOT-0215U-IR3P
(PN: KOT-215C-007)

21.5" LCD Open frame IR Touch Monitor

Product Feature

- Narrow Bezel
- Long lasting product cycle-enclosure controlled by KeeTouch specifications
- Future generation panels phased-in without external changes
- High quality panel, high contrast ratio, high resolution
- Multiple mounting options including VESA mount, horizontal bracket-mount,vertical bracket mount
- KeeTouch's IR technology on pure glass for the ultimate in image quality
- Easy integration from side
- USB touch interface port
- VGA input video format
- Worldwide agency approvals
- CCC, ETL, FCC, CE, UL, CB, RoHS certificates.

KeeTouch®

Specification

Model No.	KOT-0215U-IR3P	
Series	OT, Waterproof type	
Case/bezel color	Black	
LCD Type	Active matrix TFT-LCD	
Display Size	21.5”（diagonal)(16:9)	
Active Area(display)	476.64mm×268.11mm	
Suggested Resolution	1920×1080@60Hz	
Support Colors	16.7M	
Brightness(Typ.)	Pure LCD Panel (Brightness from 300~1000cd/m^2 can be customized)	250cd/m^2
	With infrared touch screen	225 cd/m^2
Response Time(Typ.)	14ms	
Viewing Angle (Typ.at CR>10)	Horizontal(left/right)	89°/89°
	Vertical(up/down)	89°/89°
Contrast Ratio(Typ.)	1000:1	
Video Input	VGA and DVI	
Video Signal Input Connector	Mini D-Sub 15-pin VGA	
Frequency（H/V)	30～80KHz / 50～76Hz	
Power Supply	Type: External brick Input (line) voltage: 100-240 VAC, 50-60 Hz	
Environment	Operating Temp.	0～50°C
	Storage Temp.	-20～60°C
	Operating RH	20%～80%
	Storage RH	10%～90%
LED Back Light Life(Typ.)	30,000 Hours	
Package Dimensions	605(L)*195(H)*400(W)(2pcs in one package)(Approx.)	
Mount Interface	horizontal or vertical and VESA mount (75*75&100*100)	
OSD Control	Buttons	AUTO,+,POWER,-,MENU
	Function	Brightness, Contrast Ratio, Auto-adjust, Phase, Clock, H/V Location, Languages, Function, Reset
Touch Screen Type	Keetouch 21.5" IR touch screen	
Touch System Interface	USB	
Agency Approvals	CCC,ETL,FCC,CE,CB,RoHS	
Regular Warranty	1 Year	

NOTE: The display SPEC. will change follow the relevant LCD panel brand and model

Mechanical Dimensions



Revision History

Revision	Date	Description
1.0	2015/05/22	Initial Release
2.0	2016/06/30	Update dimension drawing

Add: Level1, 3, 4, BLD 9, Luck-King Industry Park Gongyedong Road, Longhua District, Shenzhen 518109, P. R. China
Tel: +86-755-82599797 Fax: +86-755-82599968
E-mail: sales@keetouch.com www.keetouch.com

KeeTouch reserves the right to change or update, without notice, any information contained herein; to change, without no construction, materials, processing or specifications of discontinue or limit production or distribution of any products. and to discontinue or limit production or distribution of any products